

CROSSLINKER V 99

RELEASE COATINGS - SOLVENT-BASED

Product description

CROSSLINKER V 99 is a solvent-based Hydrogenpolysiloxane.

Special features

- high efficiency
- good release stability
- two component system
- easy to use
- excellent anchorage to a wide variety of substrates
- excellent anchorage to polyester films
- suitable for coating PP and PE films and PE-coated paper

Application

CROSSLINKER V 99 is used for curing DEHESIVE® 955.

Processing

Batches of coating compound must be prepared in the order given below.

1. First pour in DEHESIVE® polymer
2. Add solvent and stir slowly until the mixture is homogeneous
3. Thoroughly stir in CROSSLINKER V 99 to this mixture

Storage

The 'Best use before end' date of each batch is shown on the product label.

Storage beyond the date specified on the label does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

Safety notes

Comprehensive instructions are given in the corresponding Material Safety Data Sheets. They are available on request from WACKER subsidiaries or may be printed via WACKER web site <http://www.wacker.com>.

Product data

Typical general characteristics	Inspection Method	Value
Viscosity, dynamic at 25 °C		0,81 mPa.s
Density at 20 °C	DIN 51757	0,87 g/cm ³
Flash point		4 °C
Ignition temperature (liquids)	DIN 51794	> 300 °C

These figures are only intended as a guide and should not be used in preparing specifications.

The data presented in this leaflet are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this leaflet should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The recommendations do not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the products for a particular purpose.

The management system has been certified according to DIN EN ISO 9001 and DIN EN ISO 14001

WACKER is a trademark of Wacker Chemie AG.